

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6507845".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 15:22
S2	841	file near2 property	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:05
S3	556	file near2 property and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:43
S4	365	S3 and conver\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:06
S5	313	S3 and convert\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:06
S6	13	S5 and (byte near2 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:07
S7	8	S5 and (byte near2 stream) and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:44
S8	42138	(file near2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:42
S9	1376	S8 and (convert\$ with object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:11

S10	0	S9 and (updat\$ same stream) and (modif\$ with properties)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:12
S11	116	S9 and (updat\$ same stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:13
S12	100	S9 and (updat\$ same stream) and (attributes or properties)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:19
S13	0	API same (updat\$ with properties) same stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:19
S14	0	API same (updat\$ with properties) same (file near2 stream) same object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:20
S15	0	API same (updat\$ with attributes) same (file near2 stream) same object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:20
S16	20	API same (updat\$ with attributes) same object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:20
S17	4	S16 and (convert\$ same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:21
S18	4140	(object near2 oriented) and (file near2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:22
S19	226	S18 and (convert\$ same API)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:22

S20	78	S19 and (file near2 (properties or attributes or metadata))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:27
S21	173	(object near2 schema) and (relational with schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:27
S22	1299625	"30" and (conver\$ or translate\$ or transform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:27
S23	1330127	"30" and (conver\$ or translate\$ or transform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:28
S24	136	S21 and (conver\$ or translate\$ or transform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:28
S25	7	S24 and (convert\$ same properties)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:28
S26	7	S24 and (convert\$ same properties) and (updat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:33
S27	53	API same updat\$ same attributes same object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:34
S28	14	S27 and (convert\$ same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:36
S29	2962	(convert\$ same file same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:36

S30	282	S29 and (file near2 (attribute\$ or propert\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:37
S31	132	S30 and (updat\$ same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:37
S32	73	S30 and (updat\$ same object) and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 17:38
S33	30	S30 and (updat\$ same object) and API and (file with manager)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 18:28
S34	1	"6763496".pn. and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 18:28
S35	0	"6763496".pn. and ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 18:29
S36	1	"6385606".pn. and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:28
S37	9	"6704432".pn. or "6611840".pn. or "6363386".pn. or "5873092". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:29
S38	2	S37 and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:33
S39	2	S37 and API and (update\$ or convert\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:35

S40	1	"6584459".pn. and (read or open)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:36
S41	1	"6584459".pn. and (read or open) and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:36
S42	1	"6584459".pn. and (read or open) and API and update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:44
S43	480	API same (convert\$) same object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:48
S44	14	S43 and ((updat\$ with object) same (updat\$ with metadata))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:46
S45	171	S43 and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:48
S46	62	S45 and (open with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:49
S47	8	S46 and ((updat\$ with (file or object) same convert\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:52
S48	423	((modif\$ or updat\$) with (object or item)) same API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:53
S49	40	S48 and (convert\$ same (properties or metadata or attributes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:54

S50	23	S48 and (convert\$ same (properties or metadata or attributes)) and (directory or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:01
S51	87	(updat\$3 near2 object) same API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:02
S52	0	S51 and (convert\$ same (attribute\$ or propert\$3 or metadata) same (updat\$ near2 object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:03
S53	20	(convert\$ same (attribute\$ or propert\$3 or metadata) same (updat\$ near2 object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:03
S54	2	(convert\$ same (attribute\$ or propert\$3 or metadata) same (updat\$ near2 object)) and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:04
S55	0	"6061696".pn. and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:04
S56	0	"6061696".pn. and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:04
S57	1	"6061696".pn. and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:05
S58	0	"6061696".pn. and (internet same interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:07
S59	116	Lee.in. and API and multimedia	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:07

S60	61	Lee.in. and API and multimedia and convert\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:08
S61	22	Lee.in. and API and multimedia and convert\$ and attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:27
S62	11	customize same tv near2 program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:30
S63	2682	tv.near2 programs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:30
S64	71	S63 and (filter same selection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 11:59
S65	2	"6429882".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:15
S66	2	"6429882".pn. and file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:31
S67	1	"6429882".pn. and (stor\$ with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:32
S68	1	"6429882".pn. and (file same (file near2 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:36
S69	0	"6429882".pn. and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:36

S70	0	"6429882".pn. and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:36
S71	0	"6429882".pn. and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:36
S72	1	"6429882".pn. and space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:47
S73	1	"6708189".pn. and update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 13:00
S74	1	"6708189".pn. and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 13:00
S75	1	"6708189".pn. and (directory with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 13:16
S76	0	(motivation with API).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 13:16
S77	32	(useful with API).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 13:26
S78	0	(useful with API).ab. and (updat\$ with file with API)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 13:17
S79	1	"6708189".pn. and update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 13:37

S80	0	"6708189".pn. and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 13:37
S81	0	"6708189".pn. and directoru	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 13:37
S82	1	"6708189".pn. and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 13:51
S83	3	(retriev\$ with properties) same automatical\$ same (update\$ with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:35
S84	2	"6799184".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:42
S85	1	09/495124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:37
S86	1	09/495124 and back	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:38
S87	1	"6779154".pn. and read	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:43
S88	0	"6779154".pn. and read and close	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 14:50
S89	1	"6779154".pn. and back	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 15:04

S90	0	(read\$3 with (changes with file)) same (updat\$ with (attributes or properties or matadata))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 15:05
S91	1	(read\$3 with (modified with file)) same (updat\$ with (attributes or properties or matadata))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 15:05
S92	3	(read\$3 with (updated with file)) same (updat\$ with (attributes or properties or matadata))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 15:15
S93	1	"6708189".pn. and (stor\$ with object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 15:15
S94	1	"6708189".pn. and (object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 15:16
S95	1	"6708189".pn. and (objects)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 17:11
S96	1	"6708186".pn. and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 17:11
S97	1	"6708189".pn. and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 17:14
S98	0	"6708189".pn. and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 17:12
S99	0	(monitor\$ with (updated near2 file)) same (close with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 17:15

S10 0	35	(updat\$ with (file near2 properties))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 17:19
S10 1	35	S100 and (updat\$ same file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 17:20
S10 2	8	S100 and (updat\$ same file) and (read/write)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 17:26
S10 3	0	S100 and (updat\$ same file) and (read/write) and closes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 17:20
S10 4	1	S100 and (updat\$ same file) and (read/write) and (open ro close)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 17:20
S10 5	85484	(convert\$ same format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 17:27
S10 6	0	"6708189".pn. and clos\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 18:35
S10 7	10	(convert\$ same (multimedia near2 file) same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:44
S10 8	2235	(class\$ same (convert\$ same object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 18:40
S10 9	1	S108 and (convert\$ same (multimedia near2 file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 18:41

S11 0	442	S108 and (convert\$ same file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 18:41
S11 1	199	S110 and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 18:41
S11 2	1	S110 and path and extention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 18:42
S11 3	121	S110 and path and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 18:42
S11 4	77	S110 and path and extension and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 18:42
S11 5	77	S110 and path and extension and API and applications	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 18:42
S11 6	3	S110 and path and extension and API and applications and (byte near2 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 18:42
S11 7	127	(flag\$ with updat\$ with attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:04
S11 8	10213	(flag\$ with updat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:04
S11 9	203	S118 same attribute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:04

S12 0	7	S118 same attribute same (convert\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:18
S12 1	0	"6708189".pn. and (link or pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:18
S12 2	1	"6429882".pn. and (link or pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:20
S12 3	2	"6799184".pn. and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:21
S12 4	172	(byte near2 stream) with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:21
S12 5	12	((byte near2 stream) with file) same updat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:23
S12 6	3	S125 and (convert\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:22
S12 7	2	((byte near2 stream) with file) same modif\$ same convert\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:29
S12 8	0	(byte near2 stream) same modif\$ same convert\$ same object same pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:26
S12 9	3	(byte near2 stream) same modif\$ same convert\$ same object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:27

S13 0	0	"6385606".pn. and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:27
S13 1	0	"6061696".pn. and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:28
S13 2	0	"6061696".pn. and stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:29
S13 3	1	((byte near2 stream) with file) same notif\$ same modify	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:30
S13 4	1	((byte near2 stream) with file) same notif\$ same updat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:31
S13 5	2	((byte near2 stream) with file) same notif\$ same change\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:32
S13 6	0	(pointer with ((byte near2 stream) with file)) same convert	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:32
S13 7	0	(path with ((byte near2 stream) with file)) same convert	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:32
S13 8	3	(pointer with ((byte near2 stream) with file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:37
S13 9	1	(pointer with ((byte near2 stream)) same convert\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:38

S14 0	3	(pointer with (byte near2 stream) with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:39
S14 1	1823	multimedia near2 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:40
S14 2	27	S141 and (byte near2 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:40
S14 3	0	S141 and ((byte near2 stream) same pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:40
S14 4	1	S141 and ((byte near2 stream) same link\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:41
S14 5	0	S141 and ((byte near2 stream) same pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:42
S14 6	209	((byte near2 stream) same pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:42
S14 7	49	((byte near2 stream) same pointer) and (convert\$ same file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:53
S14 8	1	"6799184".pn. and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:12
S14 9	1	"6799184".pn. and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:41

S15 0	14362	707/200 or 707/204 or 707/205 or 707/102 or 707/103 or 715/513 or 715/514	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:42
S15 1	3721	S150 and (file near2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:42
S15 2	69	S151 and (file near2 property and object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:43
S15 3	1	S152 and (byte near2 stream) and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:44
S15 4	2	S150 and (convert\$ same (multimedia near2 file) same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 15:02
S15 5	1	"6799184".pn. and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 15:40
S15 6	2	"6728685".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 15:44
S15 7	2	"6429882".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 16:26
S15 8	4	"5438671".pn. or "5761655".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 16:26
S15 9	134	(search\$ same (multimedia near2 file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:34

S16 0	13	S159 and 707/104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:34
S16 1	0	S159 and 707/104 and (meta near2 descriptor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:34
S16 2	1	S159 and (meta near2 descriptor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:36
S16 3	73	(meta near2 descriptors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:36
S16 4	5	S163 and (search\$ same media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:38
S16 5	9	S163 and multimedia	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:38
S16 6	8	S163 and multimedia and search\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:40
S16 7	4250	707/104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:40
S16 8	10743	707/104 or 707/3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:40
S16 9	0	S168 and (multimedia same search\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:40

S17 0	435	S168 and (multimedia same search\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:41
S17 1	2	S170 and (meta near2 descriptors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:42
S17 2	3	S170 and (meta with descriptors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:42
S17 3	3	S170 and (meta with descriptors)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:42
S17 4	37	S170 and descriptors	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:47
S17 5	275	(attributes with descriptors)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:47
S17 6	11	(attributes with descriptors) and (search\$ same multimedia)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:47
S17 7	11	(attributes with descriptors) and (search\$ same multimedia)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:49
S17 8	11	(attributes with descriptors) and (search\$ same media)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:49
S17 9	717	(search\$ same descriptors)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:49
S18 0	17	S179 and (meta near2 descriptors)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:55

S18 1	3	707/5 and (meta near2 descriptors)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:55
S18 2	0	web near2 page and (metadata near2 descriptors)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:56
S18 3	0	(web near2 page) and (metadata near2 descriptors)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:56
S18 4	1	HTML and (metadata near2 descriptors)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:59
S18 5	1	template and (metadata near2 descriptors)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:59
S18 6	2	xml and (metadata near2 descriptors)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:01
S18 7	43	metadata with descriptors	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:01
S18 8	0	S187 and (query near2 descriptor)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:01
S18 9	2	S187 and (query with descriptor)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:02
S19 0	1	707/5 and (rank\$ same (query near2 descriptor))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:03
S19 1	3	(rank\$ same (query near2 descriptor))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:04